



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965



DISTRICT OFFICE

Fire Safety East District
3RD FLR
667 N Broad St
Philadelphia, PA 19123
215-685-3917

PROPERTY IN VIOLATION

5400-50 N 6TH ST, Philadelphia, PA 19120-2738

DATE OF NOTICE

11/22/2024

On 11/21/2024 the Department of Licenses and Inspections inspected/investigated the property in violation and found the following condition(s) or activity which violate the Philadelphia Code. Based on these the property is deemed:

IN VIOLATION

The property will remain in this status until all the violations below are corrected and the Department of Licenses and Inspections has verified the corrective action. You are the person responsible for the correction of these violations.

Any permit or license obtained to comply a violation of working without or in excess of a permit or a license will result in an additional inspection fee equal to the cost of the permit or license. (Phila. Code § A-901.13)

YOU ARE ORDERED TO MAKE THE NECESSARY REPAIRS AND/OR TAKE THE NECESSARY ACTION(S) TO CORRECT THE CITED CONDITIONS PRIOR TO 12/26/2024

VIOLATIONS

PHILA. CODE § F-105.6.1.8	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE A hazardous materials license is required to store, transport on site, dispense, use or handle hazardous materials in excess of the amounts listed in Table F-105.6.1.8 and for extremely hazardous substances in accordance with Section F-105.6.8.		
CONDITION IN VIOLATION SHOP OPERATOR MUST OBTAIN THE REQUIRED HAZARDOUS MATERIAL LICENSE # 3335 DUE TO THE QUANTITY OF COMBUSTIBLE LIQUIDS BEING STORED IN THE SHOP		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-105.6.4	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE A license is required for operation of repair garages and automotive, marine and fleet motor fuel-dispensing facilities. This license shall be inclusive of the storage of hazardous materials (F-105.6.9) and cutting and welding operations (F-105.6.7) such that those additional licenses shall not also be required.		
CONDITION IN VIOLATION SHOP OPERATOR MUST OBTAIN THE REQUIRED AUTO REPAIR LICENSE # 3311 IN ORDER TO CONTINUE CONDUCTING AUTO REPAIR S AT THE SHOP		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-2403.2.5	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Metal parts of spray booths, exhaust ducts and piping systems conveying Class I or II liquids shall be electrically grounded in accordance with NFPA 70. Metallic parts located in resin application areas, including but not limited to exhaust ducts, ventilation fans, spray application equipment, workpieces and piping, shall be electrically grounded.		
CONDITION IN VIOLATION TABLE MUST BE GROUNDED WHERE PAINTS ARE MIXED.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-2404.3.3.5	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Spray booths shall be installed so that all parts of the booth are able to be accessed for cleaning. A clear space of not less than 3 feet (914 mm) shall be maintained on all sides of the spray booth. This clear space shall be kept free of any storage or combustible construction.		
CONDITION IN VIOLATION REMOVE ALL COMBUSTIBLE STORAGE FROM THE INTERIOR AND EXTERIOR OF THE SPRAY BOOTH. EXTERIOR OF PAINT BOOTH MUST HAVE A CLEAR SPACE OF AT LEAST 3 FEET.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-2403.4.3	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Approved metal waste cans equipped with self-closing lids shall be provided wherever rags or waste are impregnated with finishing material. Such rags and waste shall be deposited therein immediately after being utilized. The contents of waste cans shall be properly disposed of not less than once daily and at the end of each shift.		
CONDITION IN VIOLATION MUST HAVE AT LEAST 2 WASTE CANS FOR OILY RAGS THROUGHOUT THE SHOP.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-310.3	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE The fire code official is authorized to order the posting of "No Smoking" signs in a conspicuous location in each structure or location in which smoking is prohibited. The content, lettering, size, color and location of required "No Smoking" signs shall be approved.		
CONDITION IN VIOLATION MUST INSTALL SEVERAL NO SMOKING SIGNS THROUGHOUT THE SHOP		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-304.1	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Combustible waste material creating a fire hazard shall not be allowed to accumulate in buildings or structures or upon premises.		
CONDITION IN VIOLATION ALL COMBUSTIBLE WASTE MATERIAL THROUGHOUT THE ENTIRE SHOP MUST BE REMOVED. TIRES, CARDBOARD, WOOD, APPLIANCES AND ANY OTHER DEBRIS.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-5003.5	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Unless otherwise exempted by the fire code official, visible hazard identification signs as specified in NFPA 704 for the specific material contained shall be placed on stationary containers and aboveground tanks and at entrances to locations where hazardous materials are stored, dispensed, used or handled in quantities requiring a permit and at specific entrances and locations designated by the fire code official.		
CONDITION IN VIOLATION PROVIDE A NFPA 704 SIGN TO THE EXTERIOR OF THE BUILDING WITH THE CORRECT NUMBERS OF THE HAZARD IN THE SHOP.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-5003.5.1	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Individual containers, cartons or packages shall be conspicuously marked or labeled in an approved manner. Rooms or cabinets containing compressed gases shall be conspicuously labeled: COMPRESSED GAS.		
CONDITION IN VIOLATION ALL DRUMS/ CONTAINERS MUST BE MARKED WITH THE LIQUID CONTENTS THAT ARE BEING STORED IN THEM, IF THEY ARE EMPTY THEY MUST ALSO BE MARKED AS EMPTY.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-5003.4.1	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Safety Data Sheets (SDS) shall be stored on the exterior of a facility (building wall, fence, post mounted, etc.) in a storage container at a location readily available to emergency responders on a 24-hour basis. The container shall be weather-resistant and locked by a padlock. Where there is a concern that the storage container may be subject to vandalism, installation of the container is permitted up to a maximum height of 10 feet (3048 mm). The location of the container shall be subject to approval by the fire department.		
CONDITION IN VIOLATION SAFETY DATA SHEETS CONTAINER BOX MUST BE INSTALLED ON THE EXTERIOR OF THE BUILDING PROVIDING THE REQUIRED SAFETY DATA SHEETS INSIDE OF THE BOX.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-604.5	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Extension cords and flexible cords shall not be a substitute for permanent wiring and shall be listed and labeled in accordance with UL 817. Extension cords and flexible cords shall not be affixed to structures, extended through walls, ceilings or floors, or under doors or floor coverings, nor shall such cords be subject to environmental damage or physical impact. Extension cords shall be used only with portable appliances. Extension cords marked for indoor use shall not be used outdoors.		
CONDITION IN VIOLATION REMOVE THE SOURCE OF EXTENSION CORDS BEING USED THROUGHOUT THE SHOP AREA.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-904.6	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Dry-chemical extinguishing systems shall be installed, maintained, periodically inspected and tested in accordance with NFPA 17 and their listing. Records of inspections and testing shall be maintained.		
CONDITION IN VIOLATION PAINT BOOTH MUST BE INSPECTED AND TAGGED BY A LICENSED SUPPRESSION CONTRACTOR ALSO CONTRACTOR MUST UPLOAD THE PAINT BOOTH CERTIFICATION INTO THE CITY ECLIPSE PORTAL SYSTEM IN ORDER FOR IT TO BE VALID.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-906.7	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Hand-held portable fire extinguishers, not housed in cabinets, shall be installed on the hangers or brackets supplied. Hangers or brackets shall be securely anchored to the mounting surface in accordance with the manufacturer's installation instructions.		
CONDITION IN VIOLATION ALL FIRE EXTINGUISHERS MUST BE MOUNTED ON THE WALL AND NOT ON SHELVES.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-315.3	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Storage of materials in buildings shall be orderly and stacks shall be stable. Storage of combustible materials shall be separated from heaters or heating devices by distance or shielding so that ignition cannot occur.		
CONDITION IN VIOLATION THE STORAGE INSIDE OF SHOP MUST BE ORDERLY, REMOVE ALL COMBUSTBLE ITEMS NOT IN USE CREATING A FIRE HAZARD		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-5003.9.8	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Incompatible materials in storage and storage of materials that are incompatible with materials in use shall be separated where the stored materials are in containers having a capacity of more than 5 pounds (2 kg), 0.5 gallon (2 L) or any amount of compressed gases. Separation shall be accomplished by: 1. Segregating incompatible materials in storage by a distance of not less than 20 feet (6096 mm). 2. Isolating incompatible materials in storage by a noncombustible partition extending not less than 18 inches (457 mm) above and to the sides of the stored material. 3. Storing liquid and solid materials in hazardous material storage cabinets. 4. Storing compressed gases in gas cabinets or exhausted enclosures in accordance with Sections 5003.8.5 and 5003.8.6. Materials that are incompatible shall not be stored within the same cabinet or exhausted enclosure.		
CONDITION IN VIOLATION TIRES, AUTO PARTS AND ANY OTHER MATERIALS OR LIQUIDS MUST BE SEPARATED FROM THE WASTE OIL CONTAINERS.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-304.2	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Storage of combustible rubbish shall not produce conditions that will create a nuisance or a hazard to the public health, safety or welfare.		
CONDITION IN VIOLATION REMOVE ALL COMBUSTIBLE RUBBISH IN THE INTERIOR OF THE SHOP.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965

VIOLATIONS

PHILA. CODE § F-604.6	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE Open junction boxes and open-wiring splices shall be prohibited. Approved covers shall be provided for all switch and electrical outlet boxes.		
CONDITION IN VIOLATION INSTALL APPROVED COVERS TO ALL ELECTRICAL JUNCTION BOXES THROUGHOUT THE SHOP WHERE EXPOSED ELECTRICAL WIRING IS VISIBLE		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		

PHILA. CODE § F-901.6.4	FINE AMOUNT \$300.00	SCAN QR CODE FOR HOW TO RESOLVE 
PHILA. CODE LANGUAGE The testing of fire protection systems shall be in accordance with Sections 901.6 and F-901.6.4 through F-901.6.4.8.1. Annually the owner of each building that contains fire protection systems shall have such systems certified as operating properly by a person certified or licensed by the Department of Licenses and Inspections to provide such certifications in accordance with this Section. Certification forms shall be maintained on the property and made available for inspection upon the request of a fire code official. The certification form shall be submitted to the Department of Licenses and Inspections which may, by regulation, establish a fee to be paid upon submission of the form.		
CONDITION IN VIOLATION NEED A CURRENT FIRE ALARM CERTIFICATION TO BE UPLOADED TO THE CITY ECLIPSE PORTAL SYSTEM STATING THAT THE VEHICLE SPRAY PAINT BOOTH FOR (EZ BOYZ AUTO REPAIR SHOP) LOCATED AT AKA ADDRESS 700 W TABOR RD, UNIT 5 IS TIED INTO THE FIRE ALARM SYSTEM.		
LOCATION 5400-50 N 6TH ST. AKA ADDRESS 700 W TABOR RD. UNIT 5, (EZ BOYZ AUTO SHOP)		



✕ Violation Notice and Order to Correct

L&I File Number: CF-2024-121965



Failure to timely correct the violations listed above by or before the correction date listed above will result in the stated fine amount being imposed against you. The fines will be imposed on a per day basis for each violation that remains uncorrected AFTER the stated correction date. Phila. Code § A-601. If you timely correct each violation by the stated correction date, no fines will be due.

In addition to the fines listed above, failure to timely correct the violations will result in you being charged:

- Labor and material costs for any work performed by the City, such as a demolition; sealing of windows or doors; clearing of weeds, trash or debris; relocation expenses for removing occupants, costs associated with cease operations orders. Such costs are subject to an additional administrative fee of 21% (Phila. Code § A-503);
- An additional \$100 fee for repeat abatement work (Phila. Code § A-503.2); and
- Reinspection fees as follows: \$100 for the third inspection, \$200 for the fourth inspection, and \$350 for any additional inspections (Phila. Code § A-901.12.2).



YOU HAVE THE RIGHT TO APPEAL THIS NOTICE. YOUR APPEAL MUST BE FILED BY 01/30/2025.

IF YOU DO NOT TIMELY FILE AN APPEAL THEN YOU WAIVE YOUR RIGHT TO LATER CHALLENGE ANY PART OF THIS NOTICE. This includes waiving your right to argue: whether the violations existed, whether you were responsible to correct the violations, whether you had enough time to correct the violations, whether the City should have abated the violations, and whether the City can impose fines, fees, or costs against you.

For more information on filing an appeal and/or to obtain the approved form visit the appeals section of the Department of Licenses and Inspections website at www.phila.gov/li or the Boards Administration Unit, 11th Floor Municipal Services Building, 1401 J.F.K. Blvd., Philadelphia PA.

Appeals of the Technical Codes, such as the Zoning Code and/or Fire Code, need to be submitted to the appropriate Technical Appeal Board such as the Zoning Board of Adjustment and/or the Board of Safety and Fire Prevention. For additional information call 215-686-8686.

IF YOU HAVE ANY LEGAL QUESTIONS YOU SHOULD CONSULT WITH AN ATTORNEY.

If you do not have an attorney, you can contact the Philadelphia Bar Association Referral and Information Line at 215-238-6333 to have an attorney referred to you. You can also find a list of legal aid service providers at <http://palegalaid.net/legal-aid-providers-in-pa>.



The Philadelphia Code may be found online for free at www.phila.gov under "Open government."

If you have any questions regarding this notice or would like to schedule a re-inspection, please contact: EMERITO ALVARADO JR. Emerito.Alvarado@phila.gov or the district office noted above.

ATTENTION: This is an important notice! For information in your language, call 215-686-8686

ATENCIÓN: ¡Este es un aviso Importante! Para recibir información en su idioma, llame al 215-686-8686

注意: 这是重要通知! 如果您需要以您的语言获得此信息, 请致电 215-686-8686

CHÚ Ý: Đây là thông báo quan trọng! Nếu bạn cần thư này bằng ngôn ngữ khác, vui lòng gọi 215-686-8686

주의: 중요 통지입니다! 이 서신을 귀하의 언어로 받고 싶으시면 215-686-8686번으로 전화하시기 바랍니다

توجہ فرمائیں: یہ ایک ضروری اطلاع نامہ ہے! ترجمے کی خدمات کے لیے 215-686-8686 پر کال کریں

ATTENTION: Cet avis est important ! Si vous avez besoin de cet avis dans une autre langue, appelez le 215-686-8686